



Vertical Panel Saws
Innovative Carts & Dollies
Cutting & Reach Tools


SPEED +
SWITCH CUTTING TOOLS
IN 8 SECONDS



ACCURACY
UP TO 1/64TH OF AN INCH



ANYTHING OTHER THAN A **SAW TRAX**... JUST DOESN'T CUT IT!



SAW TRAX CARTS

DOLLY MAX AT
ALL-TERRAIN MOBILITY

YEL-LOW DOLLY SERIES
VARIABLE LOADING HEIGHT

PANEL EXPRESS
SELF-ADJUSTING GLASS CART

SCOOP DOLLY
REPLACES FORKLIFT



REVISED 09/24/2026


WE DIDN'T REINVENT THE **WHEEL**, JUST THE **DOLLY**...

About Saw Trax



Industrial cutting solutions engineered for shops that demand *precision, safety, and speed*.

SAW TRAX TIMELINE



Saw Trax Manufacturing has spent decades designing and enhancing tools that make material handling safer, faster, and more accurate. From our **patented Accu-Square alignment system, carts, & dollies**, to our expanding line of reach tools and cutters; every product is built for real-world workflows in shops, warehouses, and fabrication environments. We engineer solutions that reduce downtime, improve safety, and keep crews moving.



ACCURACY



Engineered tolerances that stay true for the life of the machine.

SAFETY



Designs that reduce operator strain, ladder use, & conveyor downtime.

EFFICIENCY



Tools that speed daily tasks and streamline shop operations.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Table of Contents



PANEL SAWS

- [4. Vertical Panel Saw Features](#)
- [5. 1000 Series](#)
- [6. 2000 Series](#)
- [7. 3000 Series](#)
- [8. Sign Maker's Series](#)
- [9. Varsity Series](#)
- [10. Classic Series](#)
- [11. Master Saw Spec Table](#)

PANEL SAW ACCESSORIES

- [12. Insert Plates](#)
- [13. Standard & Classic Saw Accessories](#)

SCOOP DOLLY

- [14. Scoop Dolly](#)
- [15. Scoop Dolly Accessories](#)
- [16. Job Site Scoop Dolly](#)
- [17. Motorized Jobsite Scoop Dolly](#)

SHUTTLE DOLLY

- [18. Shuttle Dolly](#)
- [19. Job Site Shuttle Dolly](#)
- [20. Motorized Jobsite Shuttle Dolly](#)

MATERIAL CARTS & DOLLIES

- [21. Panel Express](#)
- [22. Dolly Max](#)
- [23. Dolly Max AT](#)
- [24. yel-Low Safety Dolly](#)

- [25. Raised Safety Dolly](#)
- [26. Rack & Roll Dolly](#)
- [27. Double Dolly](#)
- [28. Carts & Dollies Specifications](#)

CUTTING & HAND TOOLS

- [29. Hand Tools Specifications](#)
- [30. Coro-Claws](#)
- [31. Bididi Safety Knife](#)
- [32. Reacher Pole Ends](#)
- [33. Reach Poles](#)
- [34. Pocket Reachers](#)
- [35. Just-Rite Reachers](#)
- [36. 3Trieve Reach Pole](#)
- [37. HD Telescoping Reach](#)
- [38. Reach-Now Holster](#)
- [39. Reach-Nest Tool Holder](#)
- [40. Skinny Reachers](#)
- [41. HC Reacher](#)
- [42. Bucket Puller](#)
- [43. Bucket Pusher](#)
- [44. Reacher Liberators](#)
- [45. Reacher Flyer](#)

Follow Us on Social Media! Scan QR for More Information.


www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Vertical Panel Saws



**1000
Features**



1. Accu-Glide Bearings: 12 sealed bearings for smooth, precise travel
2. Carriage Locks: secure the carriage for rip cuts/router use
3. Makita 5007F Saw: 15-amp; uses standard 7.25" blades; adjustable depth for scoring; blade lock for quick changes
4. Guide Tube Brackets: keep tubes parallel; replace one tube at a time
5. Cord Holder: keeps cord lifted and clear of the cutting path
6. Hose channel: keeps hose aligned on the spool and out of the way
7. Dust Hose: 2" diameter, 12' long; coupler plugs into select shop vacs
8. Metal Dust Hood: includes a lighted blade viewing port
9. Spinning Insert Plate: rotates quickly between crosscut and rip-cut positions
10. Rip Pointers: fast, simple rip-cut setup
11. Guide Tubes: 1/8" thick, nickel-plated
12. Folding Stand: front-folding ladder-style design for easy movement
13. Welded Steel Frame: powder-coated for durability
14. Side Stand Legs: keep the machine stable when set up
15. Fence Lip + Rollers: offset bend for 1 3/4" crosscuts; 18 rollers on full-size models; second roller height for cutting thin plastics
16. 5" Transport Wheels: easy machine movement; lift off ground when tilted back
17. Rip Gauge Spring: keeps tape straight and easy to read
18. Center Support: standard; supports material close to blade
19. Accu-Square System: one-time factory alignment; stays square for life
20. Stop Block with Bar: rides on fence lip; works on either side with strip bar
21. Accu-Fence Bracket: aligns fence ends; factory-installed with 10 lock nuts

Our **patented Accu-Square system** keeps the machine permanently square. Our **sealed-bearing Accu-Glide carriage** delivers smoother travel and tighter tolerances. **Compact models** use a 5' frame for space-restricted shops or portable use. **Full-Size models** use a 10' frame for maximum material support and easier rip-cutting.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX




Vertical Panel Saws




1000 Series



Makita Saw on Spinning Insert + Dust Collection



Sealed Steel Roller Bearings



Dual Rip Gauges



Stop Block with Bar



Product Description:

The 1000 Series saws include all standard features plus an accessory package we would recommend to most wood workers. This series is ideal for customers that need to break down sheet goods that are less than 1 3/4 inches thick with precision accuracy of 1/64 inch. The models feature a 10' wide frame and are designed to have more material support to provide ease of use when rip cutting.

AVAILABLE FULL SIZE MODELS

52" Cross Cut **#1052**
64" Cross Cut **#1064**
76" Cross Cut **#1076**
88" Cross Cut **#1088**
100" Cross Cut **#10100**

A Makita 5007F circular saw on a spinning saw insert and dust collection hook ups are provided with this machine. The folding stand is as easy to open & close as a ladder, yet provides complete stability while in operation. For mobility, transport wheels are included. Both the vertical and horizontal measuring systems help to ensure accurate cuts while the stop block with bar provides the capability to make repetitive cuts. Included along the frame are 18 material support rollers to support your material.

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
18 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 5007F Saw
Trigger Lock
Spinning Saw Insert Plate
Dust Hood and Hose
Dust Containment Brush
Full 10' Wide Steel Frame
Folding Stand
Transport Wheels
Dual Rip Gauges
Stop Block with Bar
Measuring Tapes
Blade Guard

OPTIONAL ACCESSORIES:

Full Mid-Fence
Pivoting Knife Insert Plate
Floating Router Insert Plate
ACM Rolling Shear Insert Plate
Universal Insert Plate
Sheet Clamp
Spring Hold Down
Full Builder's Extensions
Laser Guide
Frame Dust Collection
Flip Stop System
Material Dolly
60T Premium Aluminum Blade
60T Premium Plastics Blade

The 1000 Series saws are medium industrial strength machines. Ideal for professionals such as woodworkers and cabinet makers, will benefit greatly from this saw series.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX




Vertical Panel Saws



2000 Series



Makita Saw on Spinning Insert + Dust Collection



Sealed Steel Roller Bearings



Steel Sleeved Material Rollers



Stop Block with Bar



Product Description:

The 2000 Series panel saws include a heavy duty Makita Hypoid saw. This 15 amp. saw has similar power to a worm drive saw without the need to constantly change the oil that lubricates the bearings. This machine is designed for production shops that are cutting 50 or more sheets a week or very hard material. Steel sleeves over the rollers act as armor to protect the plastic rollers from cracking. This series is ideal for customers that need to break down sheet goods up to 1 $\frac{3}{4}$ inch thick with precision cuts.

Standard features include the saw on a Spinning Saw Insert Plate, a robust dust collection system, an easy to open & close folding stand for complete stability while in use, and steel sleeves to prevent damage to the material rollers. This 10ft. frame provides an unlimited rip cut capability.

AVAILABLE FULL SIZE MODELS

52" Cross Cut **#2052**
64" Cross Cut **#2064**
76" Cross Cut **#2076**

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
18 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 5477NB Saw
On/Off Switch
Spinning Saw Insert Plate
Dust Hood and Hose
Dust Containment Brush
Full 10' Wide Steel Frame
Folding Stand
Transport Wheels
Dual Rip Gauges
Stop Block with Bar
Measuring Tapes
Blade Guard
Steel Sleeve Material Rollers

OPTIONAL ACCESSORIES:

Full Mid-Fence
Pivoting Knife Insert Plate
Floating Router Insert Plate
ACM Rolling Shear Insert Plate
Universal Insert Plate
Sheet Clamp
Spring Hold Down
Full Builder's Extensions
Laser Guide
Frame Dust Collection
Flip Stop System
Material Dolly
60T Premium Aluminum Blade
60T Premium Plastics Blade

The **2000 Series** saws are the "tank" of the panel saw line with "beefed" up features for the most demanding jobs. Designed for industrial operations cutting 50 or more sheets a week.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Vertical Panel Saws



3000 Series



10" Saw on Spinning Insert + Dust Collection



Sealed Steel Roller Bearings



Steel Sleeved Material Rollers



Stop Block with Bar



Product Description:

The 3000 Series panel saw would be recommended for door manufacturers or custom woodworking shops that want to take advantage of using a 10" saw blade. The saw is designed for cutting thicker material, up to 2 1/2", or making finer cuts on material like melamine. Steel sleeves are used to cover the material rollers, like a knight's armor, preventing damage to the rollers themselves.

The dust collection system uses a dust brush that contains the saw dust, allowing the larger diameter dust hose to remove it. The folding stand is as easy to open & close as a ladder, yet provides complete stability while in operation. For portability and mobility, transport wheels are included. This model features a 10' wide frame and has cutting accuracy of 1/64 inch.

AVAILABLE FULL SIZE MODELS

50" Cross Cut **#3050**
62" Cross Cut **#3062**
74" Cross Cut **#3074**

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
18 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 10" HS0600 Saw
Trigger Lock
Spinning Saw Insert Plate
Dust Hood and Hose
Dust Containment Brush
Full 10' Wide Steel Frame
Folding Stand
Transport Wheels
Dual Rip Gauges
Stop Block with Bar
Measuring Tapes
Steel Sleeved Material Rollers

OPTIONAL ACCESSORIES:

Full Mid-Fence
Pivoting Knife Insert Plate
Floating Router Insert Plate
ACM Rolling Shear Insert Plate
Universal Insert Plate
Sheet Clamp
Spring Hold Down
Full Builder's Extensions
Laser Guide
Frame Dust Collection
Flip Stop System
Material Dolly

The **3000 Series** Vertical Panel Saw is a heavy-duty model that is ideal for cutting doors, windows, and other material up to 2 1/2" thick.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Vertical Panel Saws



SIGN Maker's Series



Makita Saw on Spinning
Insert + Dust Collection



Sealed Steel Roller
Bearings



Spring Hold Down



Stop Block with Bar



Product Description:

The Sign Maker Series saws are designed specifically for the multitude of materials used in sign shops. It includes a Makita 5007F circular saw on a Spinning Saw Insert Plate, a Spring Hold Down to help support thinner material, and the Pivoting Knife Insert Plate for cutting soft or thin materials such as Coroplast, foamboard, PVC, cardboard and more! Easily cut vertically or horizontally with the saw or knife.

This substrate cutter also features an industry-leading dust collection system. The Folding Stand is as easy to open and close as a ladder, yet provides complete stability while in operation. For portability and mobility, Transport Wheels are included. Both the vertical and horizontal Measuring Tapes help to ensure accurate cuts. The Stop provides the capability to make repetitive cuts, and the Bar on the Stop allows for cutting strips.

AVAILABLE COMPACT MODELS

50" Cross Cut **#C52SM**
62" Cross Cut **#C64SM**

AVAILABLE FULL SIZE MODELS

52" Cross Cut **#FS52SM**
64" Cross Cut **#FS64SM**
76" Cross Cut **#FS76SM**
88" Cross Cut **#FS88SM**
100" Cross Cut **#FS100SM**

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
10 or 18 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 5007F Saw
Trigger Lock
Spinning Saw Insert Plate
Pivoting Knife Insert Plate
Dust Hood and Hose
Dust Containment Brush
Folding Stand
Transport Wheels
Dual Rip Gauges
Stop Block with Bar
Measuring Tapes
Spring Hold Down

OPTIONAL ACCESSORIES:

Full Mid-Fence
Floating Router Insert Plate
ACM Rolling Shear Insert Plate
Universal Insert Plate
Sheet Clamp
Full Builder's Extensions
Laser Guide
Frame Dust Collection
Flip Stop System
Material Dolly
Steel Sleeve Material Rollers

Accu-Square keeps your machine permanently square, and the **Accu-Glide bearings** deliver smoother, tighter-tolerance carriage travel. Add the **ACM Cutter Insert with a Sheet Clamp** for dust-free Dibond® cuts, or use the **Floating Router Insert Plate** for clean V-groove Dibond® work.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Vertical Panel Saws



Varsity Series



Makita Saw on Spinning Insert



Sealed Steel Roller Bearings



Single Rip Gauge



Stop Block with Bar



Product Description:

The Varsity Series saw delivers full-size cutting precision in a compact, portable format built for tight shops and active job sites. Designed for users who need accurate sheet processing without the footprint or cost of a larger machine, the 5' Compact frame handles materials up to 1 1/4" thick with accuracy to 1/64".

Available Compact Models

50" Cross Cut **#C52VP**
62" Cross Cut **#C64VP**

A Makita 5007F saw mounted on a spinning insert plate allows fast transitions between vertical and horizontal cutting, while the optimized dust-collection hookup keeps the workspace clean. The ladder-style folding stand provides stable operation and folds down quickly for transport, supported by integrated wheels for mobility. Both vertical and horizontal measuring systems ensure consistent accuracy, and the stop block with bar enables repeatable cuts. Along the frame, 10 material rollers support panels for smooth feeding and improved handling.

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
10 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 5007F, Trigger Lock
Spinning Saw Insert Plate
Dust Hood and Hose
Dust Containment Hood
Folding Stand
Transport Wheels
Dual Rip Gauges
Stop Block with Bar
Measuring Tapes

OPTIONAL ACCESSORIES:

Full Mid-Fence
Floating Router Insert Plate
Full Builder's Extensions
Laser Guide
Flip Stop System
Pivoting Knife Insert Plate
ACM Rolling Shear Insert Plate
Sheet Clamp
Spring Hold Down
Steel Sleeve Material Rollers
60T Premium Aluminum Blade
60T Premium Plastics Blade

Accu-Square keeps your machine permanently square, and the **Accu-Glide bearings** deliver smoother, tighter-tolerance carriage travel. Add the **ACM Cutter Insert with a Sheet Clamp** for dust-free Dibond® cuts, or use the **Floating Router Insert Plate** for clean V-groove Dibond® work.

Follow Us on Social Media! Scan QR for More Information.


www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Vertical Panel Saws



CLASSIC Series




Makita Saw on Spinning Insert



Sealed Steel Roller Bearings



Single Rip Gauge



Measuring Tapes



Product Description:

The Classic Series panel saws include standard features plus an accessory package to allow easy comparison. Our Classic Series panel saws are perfect for both hobbyists and professionals. This series is ideal for customers that need to break down sheet goods less than 1 $\frac{3}{4}$ inches thick with a precision measuring system.

Included package features are a Makita 5007F circular saw on a Spinning Saw Insert Plate for both vertical and horizontal cuts, a Dust Containment Hood with viewing port, and Measuring Tapes.

Choose from the optional [Wall Mounting Kit](#) or [Folding Stand](#) for even more versatility!

AVAILABLE COMPACT MODELS

50" Cross Cut **#C52C**
62" Cross Cut **#C64C**

AVAILABLE FULL SIZE MODELS

52" Cross Cut **#FS52C**
64" Cross Cut **#FS64C**
76" Cross Cut **#FS76C**

STANDARD EQUIPMENT:

Accu-Square Alignment System
Accu-Glide Sealed Bearing System
Powder Coated Steel Frame
Nickel Plated Guide Tubes
Quick Release Carriage + 2 Locks
Retraction Mechanism
Cord Holder
Center Material Support
10 or 18 Material Support Rollers
Zinc Plated Guide Tubes 88"/100"

PACKAGE INCLUDES:

Makita 5007F, Trigger Lock
Spinning Saw Insert Plate
Dust Containment Hood
Single Rip Gauge
Measuring Tapes

OPTIONAL ACCESSORIES:

Full Mid-Fence
Floating Router Insert Plate
Full Builder's Extensions
Laser Guide
Flip Stop System
Pivoting Knife Insert Plate
ACM Rolling Shear Insert Plate
Sheet Clamp
Spring Hold Down
Steel Sleeve Material Rollers
60T Premium Aluminum Blade
60T Premium Plastics Blade

Accu-Square keeps your machine permanently square, and the **Accu-Glide bearings** deliver smoother, tighter-tolerance carriage travel. Add the **ACM Cutter Insert with a Sheet Clamp** for dust-free Dibond® cuts, or use the **Floating Router Insert Plate** for clean V-groove Dibond® work.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Saw Specifications



Form Factor & Weight Specifications

SAW DIMENSIONS									
					SET-UP				
					CRATED			DEPTH	
PRODUCT	LENGTH	DEPTH	HEIGHT	WEIGHT	LENGTH	FENCE	GUIDE TUBE	HEIGHT	WEIGHT
COMPACT 52	71"	15"	77"	236#	65.5"	36"	42"	78.5"	112#
COMPACT 64	71"	15"	88"	256#	65.5"	36"	42"	90.5"	132#
FULL SIZE 52	125"	15"	77"	336#	120"	36"	42"	78.5"	197#
FULL SIZE 64	125"	15"	88"	386#	120"	36"	42"	90.5"	247#
FULL SIZE 76	125"	15"	99"	412#	120"	36"	42"	101"	273#
FULL SIZE 88	125"	18"	99"	555#	120"	36"	42"	109.5"	416#
FULL SIZE 100	125"	18"	99"	655#	120"	36"	42"	119"	516#
VARSITY 52	71"	15"	77"	236#	65.5"	36"	42"	78.5"	112#
VARSITY 64	71"	15"	88"	256#	65.5"	36"	42"	90.5"	132#



CUSTOM-CRATED SHIPPING

Our saws are shipped custom-crated and wrapped to ensure they arrive in perfect working condition. It takes a little more time and effort, but we want our customers to be happy with their purchase!

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Optional Saw Accessories



ACM ROLLING SHEAR INSERT PLATE

Cuts 3mm Aluminum Composite Material with zero airborne dust. The dual rolling cutters leave a smooth, rounded edge and virtually eliminate noodling on your drops. Ideal for sign shops and ACM fabricators needing clean, controlled cuts without the mess of a powered saw.



FLOATING ROUTER INSERT PLATE

Allows the router to "float" against the sheet, following material contours for consistent-depth dados: even on bowed or warped panels. Delivers clean, uniform cuts without shimming or surface prep. ***Router not included.*



PIVOTING KNIFE CUTTER INSERT PLATE

Turn your panel saw into a precision sheet-cutter. The pivoting knife delivers clean rip-cuts and cross-cuts with a retractable segmented 18mm blade, fast tool changeovers, and no backerboard required. Ideal for shops cutting Coroplast, PVC, foam board, and other sign materials with speed and control.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Optional Saw Accessories



MID-FENCE



Provides waist-high support for small cuts. Removable lip holds material in place and lifts off for full-sheet cutting. All-metal construction won't warp or swell. Includes two pieces + hardware.

BUILDER'S EXTENSIONS



Each 28" extension adds fence-base length for better material support during rip-cuts. Job-site friendly for Compact machines. Includes left and right extensions.

SHEET CLAMP



Holds ACM steady to align the material edge with cutting wheels. Helpful for long narrow cuts on rollers or small pieces on the mid fence. Magnet held open position. Available in 48" and 60". ** Not an actual clamp

STEEL ROLLER SLEEVE



Material rollers are inserted into a 1/8" steel sleeve, which eliminates the worry of a material roller cracking or breaking due to heavy use. **Standard on 2000 + 3000 Series

FRAME DUST COLLECTION



Adds an additional vacuum port at the bottom of your frame. As the dust falls, the lip at the bottom vent draws it away through a 4" port at the back of your machine.

LASER GUIDE



Illuminates a cut line to easily determine where your cut will be.

FLIP STOP



Saves time on repeat cuts by keeping a fixed stop in place. Ensures every cut is uniform.

ADDITIONAL SAW ACCESSORIES FOR THE CLASSIC SERIES


These accessories come standard on ALL Sawtrax Verical Panel Saws, EXCEPT for the Classic Series.

STOP BLOCK WITH BAR



Makes fast, repeatable cuts on either side of the blade. Bar lets you cut thin strips using the stop.

RIP GAUGE



For quick setup of length wise cuts and ripping in both directions. Bottom tension spring keeps tape tight + easy to read.

FRAME DUST COLLECTION



Dust brush surrounds the blade to contain debris, while the vacuum hose pulls out suspended dust. Coupler connects to 2.5" systems with a 12' hose

FOLDING STAND & TRANSPORT WHEELS

Folds like a ladder for compact storage. Tilt upright to shift weight onto two 5" wheels for easy positioning.
* Wall-mount kit available.
* Factory attached when purchased with saw.



Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Scoop Dolly



Effortlessly move tall and wide objects in any direction.

Fast, Easy, Safe, and Efficient.

Move your heavy, tall, narrow and long products around your warehouse or onto a truck safely with just one person.

The **Scoop Dolly** operates like a pivoting hand truck on a dolly. Unlike standard hand trucks, the object can be moved in any direction, making long objects easier to move. The Scoop Dolly can be left alone once loaded and tilted into position. No operator is necessary to support the load.


GREAT FOR MOVING:

- Tall, Long, Narrow Objects
- Doors and Windows
- Staircases
- Appliances
- Prefabricated Walls
- Boxed Furniture
- Bureaus

AND MORE!



Upright position for loading, featuring several tilt settings for moving items (displayed with optional add-ons)



BASE MODEL SPECIFICATIONS

- 800 lbs. weight capacity
- 30"L x 32"W x 68"H
- Includes 4" scoop lip blade
- (2) 68" laser cut posts with E-track slots
- (4) 4" non-marring casters
- Variable angles depending on load
- Weighs 140 lbs.



See opposite side for accessories shown on above Scoop Dollies.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Scoop Dolly Accessories



We offer a variety of accessories to fit your needs



Weight Upgrade

Increases maximum weight capacity from 800 lbs. to 1000 lbs.

Two 1"x 4"s with rubber padding are added to the support arms of the dolly. (Available in 4' and 6' lengths.) An extra caster is added to the underside of the body.



Foot Leverage Bar

For easier tilting of large or heavy loads back onto the dolly, allows you to use your body weight to instantly create leverage.

Not Compatible with Folding Option



Forklift Channels

Quickly and easily load/unload a truck without the use of a loading dock. Ideal for large windows and doors.

Not Compatible with Folding Option or Directional Wheel



Dock Transition Wheels

For transitioning on uneven surfaces such as dock plates. Adds four wheels on sides of dolly, and a fifth caster on the underside of the dolly body.



Brakes (Set of 2)

For stabilization, two built-in toggle clamps are added to raise the dolly and take the weight off the casters.



Directional Wheel

Allows you to push instead of pull.



Outriggers (Set of 2)

Two 56" posts with swivel casters attached. Creates a greater area for the center of gravity of the tilted product, increasing safety during transport.



2-Piece Lip Package

Expands the capabilities of the Scoop Dolly. With either lip installed, height of the lip can be adjusted, ranging from flush with the floor to approx. 5' high.



72" Lip

A 72" lip plate to expand the capabilities of the scoop dolly, allowing for larger items to be moved.



Shepard's Hook

Can be used to hook your product to pull it back and set it back vertically.



Heavy Duty Puller Pole

Use this heavy-duty puller pole to help you to pull back tall objects being loaded onto the dolly. Includes clips which allow you to clip the pole onto the Scoop Dolly.




Horizontal Support Extensions

Gives your Scoop Dolly a wider, more adaptable support platform. The included 4' boards slide left or right to create up to 8 feet of continuous support.



Folding Option

For folding the Scoop Dolly, allowing for easier storage. Adds a latch that can lock the base vertically to save space.



Vertical Support Extensions

Increases the Scoop Dolly's reach to over 8 feet. Provides stability during loading, tilting, and transport. Keeps large items upright and secure.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Job Site Scoop Dolly



Perfect for transporting items on the job site

Improve Job Site Productivity

A Job Site Version of our Scoop Dolly for All-Terrain Travel

The **Manual Job Site Scoop Dolly** is made of powder coated steel and aluminum angle construction. It uses a 68" pivoting support brace and a 4 position saddle post system to angle the product's center of gravity over the dolly, regardless of the product's height.

The Manual Job Site Scoop Dolly uses up to seven flat-free 10" tires in operation. With four locking, flat-free, pivoting tires and three flat-free fixed tires, it has an expanded footprint that allows it to go over gravel, rocks and mud.

The vertical posts can be used with E-track straps to hold the product to the dolly.



Base Model


Optional Accessories

Available for both Manual and Motorized Job Site Scoop Dollies.



Adjustable Backer Plate

Provides adjustable mounting for Drywall Lips. Ensures secure alignment & steadier handling.



Reinforced Drywall Lip

A reinforced version of the Standard Drywall Lip. Increases Drywall Lip weight capacity to 700 lbs.

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 72"L x 32"W x 72"H (without outrigger support)
- 72"L x 48"W x 72"H (with outrigger support)
- (4) 10" locking swivel foam-filled tires
- (2) 10" locking fixed foam-filled tires
- Removable outrigger support with 10" fixed tire
- (4) 68" laser cut posts with E-track slots
- Weighs 328 lbs.



Manual Configuration shown on Jobsite and Loading Dock.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Motorized Job Site Scoop Dolly




Reduce workplace injuries and increase productivity

Motorized for Single Person Transport

One person can easily move large and heavy items like doors, windows and sheet goods on a job site.

Statistically, one of the most injury prone categories are job site deliveries. Moving heavy objects around in sand, mud, rocks, or areas with hills at the job site can be treacherous. Now there is a solution: the **Motorized Job Site Scoop Dolly**. This dolly is an improved, motorized version of our Job Site Scoop Dolly.



Base Model



Motorized Job Site Scoop Dolly shown with the optional Drywall Lip, which allows for carrying multiple objects



BASE MODEL SPECIFICATIONS

- 700 lbs. weight capacity
- 86"L x 32"W x 72"H (without outrigger support)
- 86"L x 48"W x 72"H (with outrigger support)
- (3) 10" locking swivel foam-filled tires
- Removable outrigger support with 10" swivel tire
- (4) 68" laser cut posts with E-track slots
- 750 Watt /48 Volt brushless motor
- 48 Volt LiFe PO4 rechargeable battery
- Weighs 350 lbs.

OPTIONAL ACCESSORIES



10 Amp Fast Charger

Fast Charger upgrade to decrease the time it takes to recharge, compared to the included 3 Amp Charger.

See opposite side for information on the optional Drywall Lips, featured on above photo

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Shuttle Dolly



40% larger & customizable to suit your needs

Increased Carrying Capacity

Perfect use as a fulfillment dolly, mattress dolly, door, window, TV, or kayak dolly.

The **Shuttle Dolly** takes the proven *yel-Low Safety Dolly* design and scales it up for serious industrial performance. A wider stance increases load stability, while customizable components: caster size, caster type, and post length, let you build a dolly engineered for your exact application. Whether you need smooth omni-directional movement for showroom navigation or fixed casters for straight-line warehouse runs, the Shuttle Dolly adapts to your environment and elevates your team's efficiency.



Customizable Caster Options



5" Omni-direction
Greater Ground Clearance



4" Fixed Direction
Directional Movement




4" Locking
Brakes on Inclines



4" Omni-direction
Easy Parking

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 36"L x 29"W x 5 1/4"H (without posts)
- 36"L x 29"W x 57"H (with posts)
- Includes four 56" square 16 gauge posts
- 16 vertical / 8 horizontal post positions
- (4) 4" swivel casters
- 12 Gauge steel unibody
- Weighs 80 lbs. (with four 56" posts)



OPTIONAL ACCESSORIES

- Forklift Posts
- Brakes (Set of 2)
- Dock Transition Wheels
- Rubber Finial Post Toppers
- Corner Protectors / Connectors
- Low or Raised Versions Available
- Additional Posts in Various Lengths

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Job Site Shuttle Dolly



The ideal solution for many job site needs

Ready for All Terrain


Carries most anything on terrain that other carts can't go on!

The **Manual Jobsite Shuttle Dolly** moves sheet goods & heavy materials across rough terrain with stability and control. It handles drywall, plywood, doors, windows, cement bags, roofing tiles, lumber, blocks, and piping using its adjustable post system. Rugged tractor tires and flat-free casters keep loads balanced on dirt and uneven ground, making it a dependable final-mile solution.



Cleat Posts + Rubber Finial Toppers

(ADD-ON)



5" Locking Swivel Casters

(ADD-ON)



Second Handle Set

(ADD-ON)



Shown with the 5" Locking Swivel Caster Upgrade



Base Model

GREAT FOR MOVING:

- Drywall
- Plywood
- Cement Bags
- Roofing Tiles
- Lumber
- Blocks
- Piping
- Doors
- Windows

AND MORE!!

BASE MODEL SPECIFICATIONS

- 1500 lbs. weight capacity
- 50" L x 29" W x 8" H (without posts)
- 50" L x 29" W x 90" H (with vertical posts)
- Includes two 72" posts with caps and six 86" laser cut posts with E-track slots
- Two 15" x 6" tires and two 10" locking swivel tires
- 12 Gauge steel unibody
- Weighs 215 lbs.

The **Job Site Shuttle Dolly** consists of a unibody steel powder coated body. The six 1.25" square 86" long steel posts are also powder coated with laser cut E-track fittings for E-track straps. The 10" locking non-flat tires are at one end while 15" x 6" non-flat tractor tires are on the opposite end. The two steel post handles can be used on either end.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Motorized Job Site Shuttle Dolly



Avoid injuries and product damage with our Motorized Job Site Delivery Dolly!

The **Motorized Job Site Shuttle Dolly** is a “final mile” solution for the construction industry. It can handle any job site terrain including mud, gravel and sand. Carry items like drywall, plywood, doors, windows, granite slabs, cement bags, roofing tiles, lumber, blocks, and piping. The unique and adjustable post system allows you to carry a multitude of hard-to-carry items.



Base Model



Shown with Optional Rubber Cleat Post Upgrade

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 48"L x 29"W x 15"H (without posts/handles)
- 71"L x 29"W x 69"H (with all posts/handles)
- Includes 56" posts with rubber finial toppers, and handle posts (one with throttle arm)
- Flat-free locking tires
- 12 Gauge steel unibody
- Electric motor
- Rechargeable battery
- Weighs 280 lbs.

OPTIONAL ACCESSORIES



10 Amp Fast Charger

Fast Charger upgrade to decrease the time it takes to recharge, compared to the included 3 Amp Charger.



Rubber Triangle Cleats

Fast Charger upgrade to decrease the time it takes to recharge, compared to the included 3 Amp Charger.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Panel Express



Safely transport glass, drywall, sheets, or slabs across any terrain.

Compact and Tough Delivery Cart

Self-Adjusting and All-Terrain Panel, Glass, Sheet and Slab Cart

The **Panel Express** can breeze over obstacles both inside and out. How does it work? The self-adjusting brace mechanism automatically adjusts to hold up to three inches of material. Simply set your substrate down onto the dolly and the rubber lined clamp automatically clamps down on the piece. Need to carry more sheets? Lock the brace open and load up to 3 inches of substrates in the clamp and stack your additional sheet goods on the optional shelf.



Base Model



Shown with Optional
Accessories:
Toolbox + Shelf



SHOP-READY EFFICIENCY

- All-Terrain Mobility
- Self-Adjusting Clamp
- Folding Transport Handle
- Load Rating up to 700 lbs
- Durable Steel Construction
- Rubber-lined Brace for Glass
- Brace Locks Open to Hold Multiple Items
- Moves Glass, Granite, Plywood, Drywall and More!

BASE MODEL SPECIFICATIONS

- 700 lbs. weight capacity (200 lbs. weight capacity when locked open)
- 20 3/4" L x 26 3/4" W x 22 3/4" H
- Two 5" locking casters
- Two foam-filled 13" tires
- 4" Floor clearance
- 3 7/8" Clamping channel width
- 12 Gauge steel body
- Weighs 69 lbs.

OPTIONAL ACCESSORIES



Pivoting Shelf



Tool Box

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Dolly Max



Adjustable posts allow for customization

Portable Multi-Function Cart

Ideal for Exterior, Interior, and Rough Terrain Job Sites

The **Dolly Max** moves demolition debris, sheet rock, fencing, lumber, furniture, and yard materials with ease. Its wide stance and flat-free wheels roll smoothly over thresholds, hoses, and uneven ground, keeping loads stable and transport simple on any job site.



Base Model

GREAT FOR MOVING:

- Boxes
 - Barrels
 - Cabinets
 - Sheet Rock
 - Plywood
 - Doors
 - Fencing
 - Carpets
 - Tables
 - Pallets
 - Granite
 - Marble
 - Lumber
 - Bags of Cement
 - Pipes
 - Tubing
- AND MORE!**



Dolly Max with additional Locking Casters + Posts



BASE MODEL SPECIFICATIONS

- 700 lbs. weight capacity
- 30 x 25 1/2" x 12 3/4" (without posts)
- 30" x 25 1/2" x 68" (with posts + handles)
- (6) 56" 16 Gauge steel posts
- (6) 56" 16 Gauge steel wheelbarrow handles
- (2) 5" locking casters
- (2) 12.25" foam-filled flat-free tires
- 12 Gauge powder-coated steel unibody
- Weighs 120 lbs.

OPTIONAL ACCESSORIES

- 2 additional 56" posts
- 2 additional locking casters (increases maximum weight capacity from 700 lbs. to 1000 lbs.)



Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Dolly Max AT



The ideal solution for many job site needs

Optimized for All-Terrain Performance

Carries Almost Anything on Terrain that Other Carts Can't!

The **Dolly Max AT** is built for demanding job sites where standard carts fail. It handles tear-out debris, sheet rock, lumber, fencing, furniture, mattresses, yard materials, and more with ease. Designed for versatility and control, it remains easy to maneuver and transport to any job site.



Base Model

MODEL DIFFERENCE:

The **Dolly Max AT** includes a **Caster Bracket Shelf Extension** and **Locking Handle Pins**, increasing load capacity from 700 lb to 1000 lb and improving control across uneven terrain.

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 41 x 25 1/8" x 12 3/8" (without posts)
- 70 3/8" x 25 1/8" x 61 3/8" (with posts + handles)
- (6) 56" 16 Gauge steel posts, (2) 56" handles
- (2) 10" locking tires and two 12.25" foam-filled flat-free tires
- 12 gauge powder-coated steel unibody
- Weighs 120 lbs.



The **Dolly Max AT** features a powder-coated steel unibody with six 1.25" x 56" posts, 10" locking non-flat tires on one end, 12.25" foam-filled tires on the other, and two post handles usable on the shelf-extension end.



LOCKING PINS



SHELF EXTENSION

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



yel-Low Safety Dolly



...we didn't reinvent the wheel- just the dolly

Fast, Easy, Safe, and Efficient.

Move Items Safely using the yel-Low Safety Dolly

What is the value of doubling, tripling or even quadrupling the productivity of your employees? Can you afford to pay 4 men to do a one man job? One man can remove 2 mattresses from a hotel room in 90 seconds with the yel-Low Safety Dolly.



Base Model



The yel-Low Safety Dolly is a truly innovative and "indestructible dolly" for any industry. It can carry mattresses, large flat screen TV's, bulk items like kayaks or ping pong tables, headboards, desks, sofas, chairs and most items up to 1000 lbs.

With a powder-coated steel unibody, the yel-Low Safety Dolly sits 1/4" lower than a 3-inch floor dolly and an inch lower than a 4-inch dolly. It's about the height of a pallet.

What makes this a truly innovative moving device is the post system that allows this dolly to be reconfigured for any job at hand.

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 30"L x 25" W x 5 1/4"H (without posts)
- 30"L x 25" W x 57"H (with vertical posts)
- Includes six 56" square 16 gauge posts
- 18 vertical / 8 horizontal post positions
- (4) 4" swivel casters
- 12 Gauge steel unibody
- Weighs 85 lbs. (without six 56" posts)



OPTIONAL ACCESSORIES

- Shelf Plate
- Forklift Posts
- Brakes (set of 2)
- Fixed Direction Casters
- Dock Transition Wheels
- Rubber Finial Post Toppers
- Corner Protectors / Connectors
- Additional Posts in Various Lengths

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Raised Safety Dolly

An indoor/outdoor production dolly



Configurable to Your Needs

Get 3-4x Employee Productivity with the Raised Safety Dolly

The **Raised Safety Dolly** gives the user the option of using the dolly outside with the wheels mounted to the corners. Locking casters are used with a bracket to support the fourth hole of the caster with the bottom of the decking.



Base Model

GREAT FOR MOVING:

- Doors & Door Frames
- Large Panels
- Canopies & Awnings
- Windows & Glass Units
- Drywall & Sheet Goods
- Cabinets & Millwork

AND MORE!



BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 30"L x 25"W x 9 5/8"H (without posts)
- 30"L x 25"W x 61 3/8"H (with posts)
- Includes six 56" square 16 gauge posts
- 18 vertical/8 horizontal post positions
- Four 4" locking casters
- 12 Gauge steel unibody
- Weighs 83 lbs. (with six 56" posts)



OPTIONAL ACCESSORIES

- Shelf Plate
- Forklift Posts
- Forklift Channels (requires two Raised Safety Dolly Bodies)
- Fixed Direction Casters
- Dock Transition Wheels
- Rubber Finial Post Toppers
- Corner Protectors / Connectors
- Additional Posts in Various Lengths

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Rack & Roll Dolly




The Dolly That Works Like a Rolling Rack

Load Multiple Jobs at Once

Safer Handling for Oversized Panels and Sheets

The **Rack and Roll** is a compact, portable dolly is ideal for indoor and outdoor use. Its low-profile deck and all-caster, zero-turn design deliver exceptional maneuverability in tight shop spaces. Engineered for efficiency, it carries three to four times the load of traditional flat carts or hand trucks, making loading safer, faster, and easier.



Base Model

A Rolling Rack for Printers, Cutters, and Production Flow

Ideal for sign shops, it works as a rolling rack: transporting panels to printers or cutters, staging jobs, and unloading trucks.

One slot can feed a printer while another holds finished material, keeping production moving without interruption.

BASE MODEL SPECIFICATIONS

- 1000 lbs. weight capacity
- 30"L x 25"W x 9 3/4"H (without posts)
- 30"L x 25"W x 61 3/8"H (with posts)
- Includes eight 56" square 16 gauge posts
- 18 vertical/8 horizontal post positions
- Four 4" locking casters
- 12 Gauge steel unibody
- Weighs 114 lbs. (with eight 56" posts)

OPTIONAL ACCESSORIES

- Shelf Plate
- Forklift Posts
- Forklift Channels (requires two Raised Safety Dolly Bodies)
- Fixed Direction Casters
- Dock Transition Wheels
- Rubber Finial Post Toppers
- Corner Protectors / Connectors
- Additional Posts in Various Lengths

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Double Dolly



Adjustable posts allow customization

Move More. Organize Better. Reduce Labor.



Base Model

High-Capacity Vertical Transport for Busy Shop Floors

The **Double Dolly** is engineered for industrial environments that demand speed, organization, and durability. Built from two combined dolly bodies, this unit doubles your vertical storage efficiency while maintaining a compact footprint ideal for truck loading, shop staging, and production-floor flow.


BUILT FOR **EVERY** TRADE

- Millwork
- Fabrication
- Distribution
- Logistics
- Construction
- Glazing



SWIVEL CASTERS

Easy Maneuverability



ADJUSTABLE POSTS

Customize your Load

SIDE POST POSITIONS

Extend your Dolly

BASE MODEL SPECIFICATIONS

- 2000 # weight capacity
- 60 L x 25"W x 5 1/4"H (without posts)
- 60 L x 25"W x 77 1/4"H (with posts)
- (6) 72 12G Square Vertical Steel Posts
- 36 Vertical / 24 Horizontal post positions
- (8) 4" Swivel Casters
- 12g Steel Unibody
- Weighs 166# (with six 72 posts)

OPTIONAL ACCESSORIES

- Forklift Posts
- Dock Transition Wheels
- Rubber Finial Post Toppers
- Corner Protectors / Connectors
- Additional Posts in Various Lengths



Shown with Dock Transition Wheels

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Cart Specifications



Form Factor & Weight Specifications

CART BODY DIMENSIONS									
	WITHOUT POSTS/ACCESSORIES				WITH POSTS/ACCESSORIES				
PRODUCT	LENGTH	DEPTH	HEIGHT	WEIGHT	LENGTH	DEPTH	HEIGHT	WEIGHT	
PANEL EXPRESS	23"	28"	22"	67#	32"	28"	24"	69#	75#
DOLLY MAX	30"	25"	13"	103#	30"	25"	62.5"	120#	160#
DOLLY MAX AT	41"	25 "	13"	120#	71"	25"	62"	170#	180#
YEL-LOW SAFETY	30"	25"	5.25"	85#	30"	25"	57"	117#	120#
RAISED SAFETY	30"	25"	9 5/8"	51#	30"	25"	62"	81#	121#
RACK & ROLL	30"	25"	9 3/4"	51#	30"	25"	62"	114#	131#
SHUTTLE DOLLY	36"	29"	5.25"	51#	36"	29"	57"	80#	120#
MANUAL JS SHUTTLE	50"	29"	8"	155#	50"	29"	90"	190#	215#
MOTORIZED SHUTTLE	48"	29"	15"	230#	71"	29"	69"	280#	280#
SCOOP DOLLY	30"	25"	5.25"	120#	30"	32"	68"	140#	140#
MANUAL JS SCOOP	72"	32"	72"	300#	72"	48"	72"	328#	345#
MOTORIZED SCOOP	86"	32"	72"	320#	86"	48"	72"	350#	440#



CUSTOM-CRATED SHIPPING

Our carts & dollies are shipped custom-crated and wrapped to ensure they arrive in perfect working condition. It takes a little more time and effort, but we want our customers to be happy with their purchase!

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Hand Tools Specifications



Form Factor & Weight Specifications

HAND TOOL DIMENSIONS				
PRODUCT	LENGTH	WIDTH	HEIGHT	WEIGHT
HANDHELD CUTTERS				
CORO CLAW 4MM	6"	3/4"	3"	1#
CORO CLAW 10MM	6"	3/4"	3"	1#
BIDDI SAFETY KNIFE	6.5"	3/4"	3"	1#
CORO PINS	3"	1/2"	1"	1#
HAND TOOLS				
SKINNY REACHERS				
29" SWORD	29"	2 1/2"	1/4" - 5/16"	2#
41" SWORD	41"	2 1/2"	1/4" - 5/16"	2#
27" SHIELD	27"	3"	1.5"	2#
38" SHIELD	38"	3"	1.5"	2#
REACH TOOLS				
POCKET REACHER	16 1/2"	5"	2"	2#
POCKET REACHER HD	16 1/2"	5 1/2"	2"	2#
JUST-RITE REACHER	28 3/4"	5"	1 3/4"	1.5#
JUST-RITE REACHER HD	28 3/4"	5 1/2"	1 3/4"	1.5#
TRUCK BED REACHER	51"	5 1/2"	2 1/2"	2#
BUCKET PULLER	69 1/2"	10"	2 1/2"	5#
BUCKET PUSHER	67 3/4"	10 1/4"	3 1/4"	4#
REACHER LIBERATOR 5'	60"	5 1/2"	3 1/4"	3#
REACHER LIBERATOR 10'	120"	5 1/2"	3 1/4"	5#
HEAVY-DUTY REACH POLE (HC)	61 1/4"	5 1/2"	3 1/4"	3#
ACCESSORIES				
REACH-NOW HOLSTER	3"	3"	4"	1#
REACH-NEST TOOL HOLDER	4 1/4"	4"	4 1/8"	2#
REPLACEMENTS				
STANDARD PULL POLE END	5 1/4"	1 1/8"	1 1/4"	<1#
HEAVY-DUTY PULL POLE END	5 1/2"	1 1/4"	3 1/4"	<1#
CORO CLAW 4MM BLADES	1 5/8"	1 1/4"	1/8"	<1#
CORO CLAW 10MM BLADES	2 1/2"	2 1/8"	1/4"	<1#
BIDDI SAFETY KNIFE BLADES	4"	1 5/8"	3/4"	<1#

CUSTOM BOXED SHIPPING

Every hand tool we ship is boxed with care: padded, secured, and checked by the SawTrax team to prevent damage in transit. It's a little more work on our end, but it ensures your tools show up ready to use!



Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



CORRUGATED PLASTIC CUTTERS

AVAILABLE MODELS

Coro-Claw™ 4mm

#CCD4

Replacement Blades

#CCD4RH

Coro-Claw™ 10mm

#CCX

Replacement Blades

#CCXRH

Coro-Pins

#CP

Quickly score sheets to create point-of-purchase displays, boxes, and join panels together when cutting with a single prong.

The patented ergonomic handle houses dual-prong, replaceable blades, to easily & effortlessly cut along the flutes.



SCORING A SHEET




CUTTING A SHEET



Coro-Claw X with the patented blade allows you to cut through the thick walled 10mm Coro like a hot knife cutting through butter!

- Patented beveled cutting blade
- Offset and angled cutting blades
- Ergonomic handle
- Handle design helps proper feeding
- Replaceable cutting blades
- Scores with outer prong
- Cuts with inner prong
- Great for POP displays



- Coro-Pins are designed to slip into the flutes of Coroplast to easily connect pieces together.
- Loop designed on top to easily suspend signs out of one sheet of Coroplast
- Score Coroplast to make 3 or 4 sided, free standing column

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



BIDDI Safety Knife™



Bi-Directional Cutting for Banners, Laminate, Film, & More!

BIDDI SAFETY KNIFE

AVAILABLE MODELS

Biddi Knife

#BDSK

Replacement Blades

#BDSKRH

- Safety knife for cutting banners, vinyl, laminate, & more!
- Bi-directional blade cuts forward & backward.
- Ergonomic handle makes cutting a breeze!
- Replaceable Blades



Blade is fully protected and will not cut into tabletop, printer, or laminator.



Unique Cutting head cuts both in a forward motion and backward motion!



Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Reacher & Reacher HD



The **Reacher Pole Ends** help your business stay efficient. They can be used to easily reach objects such as boxes on shelving or to clear a conveyor belt jam, and more. Compared to other industry standard reach poles, the Reacher pole ends are a cost-effective alternative. More information available upon request.



The Reacher HD can pull up to **200lbs**



Reacher HD
Product Page



Reacher
Product Page



The Reacher can pull up to **100lbs**



The Reacher's knurled edge improves grip



Easily reach objects that are far away or up high



Lower hook design allows for easy storage



Upper hook allows for hanging/lifting objects

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Reach Poles



We now offer our Reacher Pull Pole Ends complete with **Reach poles**, available in different materials and lengths to fit your unique business needs. Whether you need a pull pole to make loading large items onto carts and dollies easier, or if want to keep your warehouse more efficient, we have the solution for you.



The Reacher HD can pull up to 200lbs



*Pocket Reacher
Product Page*



*Reacher End
Product Page*



*Reacher HD End
Product Page*



*Reach-Now
Holster*



The Reacher can pull up to 100lbs

Pole Options



**Wood
48"**



**Steel
60"**



**Steel/Fiberglass
Extends 51"- 95"**



Easily reach objects that are far away or up high



Upper hook allows for hanging/lifting objects



The Reacher's knurled edge improves grip



Lower hook design allows for easy storage

Follow Us on Social Media! Scan QR for More Information.


www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Pocket Reacher



The **Pocket Reacher** keeps crews moving by giving fast, controlled reach into high shelves, conveyors, and tight storage zones. It's a compact, cost-effective alternative to bulky reach poles. It is ideal for pulling boxes forward, clearing light jams, and speeding daily recovery tasks. Built for retail, warehouse, and delivery teams and workflows that demand efficiency daily.



1.37 to 3 ft



Pocket Reacher
Product Page



Flip Switches to Extend



Easy Screw On Attachment



Comfortable Grip



Reacher End
Product Page



Reacher HD
End Page

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Just-Rite Reacher



The **Just-Rite Reach Pole Series** is built for the demands of modern warehouse and retail operations. Teams can quickly retrieve overhead items, reposition boxes deep in shelving, and complete resets without climbing or interrupting workflow. The telescoping design gives operators controlled reach in tight spaces, while the reinforced head design grips and pulls materials with confidence.

AVAILABLE MODELS

Just-Rite Reach Pole

#JRRP

Just-Rite Reach Pole HD

#JRRPHD

Just-Rite Reach Pole Kit

#JRRP NEST

Just-Rite Reach Pole HD Kit

#JRRPHD NEST

The **Just-Rite Reach Pole Kit** adapts to any facility layout. It's lightweight construction reduces fatigue, and the durable head options ensure long service life even under heavy daily use.




Built for Modern
Warehouse Layouts



Optional **Reach-Nest Kit**
for Easy Storage


Head Material: Fiberglass + Reinforced Steel
Pole Material: Aluminum + Plastic
Finish: Powder-Coated, High-Visibility Yellow
Weight: 2 lbs
Reach Length: 28.75" - 48.75"




Dual Anvil Lift & Storage

DURABILITY YOU CAN TRUST

The Reacher Head comes industrially bonded to the pole for maximum strength and zero loosening over time. No removable parts. No failure points. Just long-term reliability under heavy daily use.



Twist-Pull Telescoping
Mechanism



Ribbed Handle Grip



Scan QR to watch Video Explanation More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX




3Triever Reacher Tool



Heavy-Duty Telescoping Aluminum Pole with 3 Segments

The **3Triever Reacher Tool** offers extended reach and strong pulling power for tough shop and industrial tasks. Its three section aluminum telescoping pole stretches from 31" to 74", reaching tight spots without bending or moving. The reinforced ABS, fiberglass, and steel head pulls up to 200 lbs., or 100 lbs. with the pole. It best used for reaching items within garages, workshops, and production floors.



**74"
Extended
Reach**



**Reinforced
Heavy-Duty
Head**



**Peg Rack
Storage
Ability**



**100+ LB
Pull
Capacity**

EXTEND YOUR REACH WITHOUT STRAIN

Extend from a compact 31" tool to 74" reach, accessing hard spots without bending, climbing, or stretching.

BUILT FOR DEMANDING PULLING JOBS

The ABS fiberglass/steel head delivers pulling strength of 200 lbs. at the head and 100 lbs. with the pole.



- ▶ **HANDLE LENGTH:** 31-74"
- ▶ **POLE MATERIAL:** Aluminum + Foam Handle
- ▶ **PULL CAPACITY:** 100+ lbs
- ▶ **HEAD TYPE:** Fiberglass-Reinforced ABS
- ▶ **HEAD CONNECTION:** Removable
- ▶ **PRIMARY USE:** Pulling Heavy Bags + Deep Stock
- ▶ **INDUSTRIES:** Home Centers, Warehouses, etc.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



HD Telescoping Reacher



Heavy-Duty Telescoping Reach Tool for Deep Truck-Bed Retrieval

The **HD Telescoping Truck Bed Reacher** is your heavy-duty solution for pulling and hooking items without climbing or straining. Built tough with fiberglass and reinforced steel, it extends your reach across truck beds, shelves, and overhead spaces- all while keeping you safely on the ground.



**Dual-Anvil
Head**

Pull and Lift with
this Reach Head



**Reinforced
Steel Core**

Built for Max
Strength



**Twist-Lock
Mechanism**

Safety Yellow
Powder Coat

BUILT FOR REAL-WORLD STRENGTH

Smooth, rounded edges and a secure comfort-grip handle keep hands protected during extended reaches, preventing scrapes and avoiding damage to cargo.

Built as a time-saving reach tool, the **HD Telescoping Reacher** cuts effort and speeds up retrieval of items deep in *truck beds* or *hard-to-access spaces*. Its high-visibility safety-yellow finish makes it easy to spot in busy loading areas, improving workflow, reducing strain, and keeping operations moving efficiently.

- ▶ **HEAD TYPE:** HD Reach Pole End
- ▶ **HEAD MATERIAL:** Fiberglass Reinforced Plastic
- ▶ **POLE MATERIAL:** 17G Steel Tubing
- ▶ **FINISH:** Powder-Coated Safety Yellow
- ▶ **WEIGHT:** 3 lbs
- ▶ **REACH LENGTH:** 51" - 95"
- ▶ **PULL CAPACITY:** 150+ pounds



Reaches deep into the
truck bed to pull items
without climbing in.

95"

51"

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Reach-Now



Quick-Draw Holster for Fast, On-Demand Reach Tool Access

The **Reach-Now Holster** keeps the Pocket Reacher secured to the worker. By eliminating hand-carried tools during climbs, it directly supports ladder-safety standards requiring three points of contact. The hardened ABS body and dual-angle mounting loops deliver a smooth, one-hand draw and re-holster. Two included 3" carabiners attach in seconds, keeping the tool visible, accessible, and in circulation throughout the shift.



2 carabiners
for added
support

**PERFECT FOR RETAIL MERCHANDISING &
WAREHOUSE STOCKING**



The **Reach-Now Tool Holster** supports ladder-safety standards by keeping the Pocket Reacher secured to the worker's body, preventing one-handed climbs, tossed tools, and overreaching when the tool gets left behind.



- ▶ **HANDS-FREE CLIMBING:** Workers maintain three points of contact.
- ▶ **INSTANT TOOL ACCESS:** No more climbing down to grab a reach pole.
- ▶ **DROP PREVENTION:** Hardened ABS withstands constant movement & damage.
- ▶ **HIGH VISIBILITY:** Safety Yellow ensures product visibility across shops and storage.

Scan QR to watch Video Explanation More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Reach-Nest



Stable Docking Station for Organized, Ready-to-Use Reach Tools

The **Reach-Nest Tool Holder** keeps your reach pole exactly where elevated work happens. Whether crews are on rolling ladders, order pickers, or lift platforms, the Reach-Nest eliminates the unsafe juggling, leaning, and repeated climbs that slow down workflow and increase risk. Molded from glass-reinforced ABS, it mounts directly to ladder rails, picker platforms, carts, and rack uprights.



**HORIZONTAL
MOUNT**



**VERTICAL
MOUNT**



#PR
NEST

Workers climb ladders and platforms constantly, and once they're elevated, tool handling becomes a safety risk: overreaching, juggling tools, and making extra trips. **The Reach-Nest Tool Holder** removes those hazards by keeping the reach tool staged exactly at the work point.



**Holster
Product Page**



**Pocket Reacher
Product Page**



- ▶ **HANDS-FREE CLIMBING:** Workers maintain three points of contact.
- ▶ **INSTANT TOOL ACCESS:** No more climbing down to grab a reach pole.
- ▶ **DROP PREVENTION:** Hardened ABS withstands constant movement & damage.
- ▶ **HIGH VISIBILITY:** Safety Yellow ensures product visibility across shops and storage.

Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Skinny Reachers



Bring Hidden Inventory Forward. Boost Visibility. Increase Sales.

Inventory buried at the back of shelves becomes "dead" inventory: unseen, unsold, and often forgotten. **The Skinny Reacher** solves this by giving merchandising teams a fast, ergonomic way to pull entire product lines forward without bending, reaching, or knocking items over. With a slim aluminum profile and lightweight reach, the tool restores shelf visibility, improves store presentation, and speeds up daily resets.



Inventory that can't be seen by the customer is "dead" inventory; this is inventory that is typically at the back of a shelf, leading to lost sales and customer dissatisfaction.




Using the Skinny Reacher set, your team can bring this "dead" inventory back to life. Easily pull lines of product forward, making it easy to see and find.




Well-merchandised stores are easy to shop and visually pleasing, leading to increased sales and improved customer satisfaction.

- **SHELF ORGANIZATION MADE EASY:** Pull full rows of product forward in one motion.
- **REDUCED PRODUCT DAMAGE:** Prevent tipping bottles, boxes, or fragile packaging.
- **IMPROVED SALES VISIBILITY:** Keep inventory front-faced and shoppable.
- **MADE IN THE USA:** Durable aluminum construction built for daily retail use.

SKINNY REACHERS



SKINNY REACHERS: SWORD + SHIELD SETS



Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX





HC Reacher



Ergonomic Deep-Pallet Retrieval Tool for Concrete, Mortar, Feed & Landscape Bags


The **HC Reacher Tool** is engineered for the exact challenges found in building-materials operations: heavy bags positioned deep on pallets, abrasive surfaces that damage packaging, and retrieval tasks that force workers into unsafe posture. Its long reach, reinforced head, and curved anvil work together to bring the load forward smoothly and intact reducing strain, preventing product damage, and improving workflow efficiency.




Ergonomic
Upright
Reach



Curved
Top
Anvil



Peg Rack
Storage
Ability



160+ LB
Pull
Capacity

REDUCE STRAIN + INJURY

Maintains upright posture and neutral spine positioning during product retrieval.

PREVENT BAG DAMAGE

Curved top anvil slides smoothly against product without tearing bags or poly.

- ▶ **HANDLE LENGTH:** 60"
- ▶ **HEAD MATERIAL:** Heavy-Duty Steel
- ▶ **PULL CAPACITY:** 160+ lbs
- ▶ **HEAD TYPE:** Fiberglass-Reinforced ABS
- ▶ **HEAD CONNECTION:** Factory-Bonded
- ▶ **PRIMARY USE:** Pulling Heavy Bags + Deep Stock
- ▶ **INDUSTRIES:** Home Centers, Warehouses, etc.



Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX




Bucket Puller



Heavy-Duty Reach Tool for Buckets, Containers & Deep-Rack Retrieval

The **Bucket Reacher** is engineered for heavy-duty performance, constructed from 17GA galvanized steel tubing to deliver maximum strength and reliability. Its ergonomic hook design features a precise bend that provides superior leverage and comfort when pulling or lifting, while the powder-coated finish ensures long-lasting durability in tough environments.




**Lift & Pull
Control**

Optimized Curve
for Gripping



**Reinforced
Steel Core**

Built for Max
Strength



**High-Visibility
Finish**


Safety Yellow
Powder Coat

BUILT FOR REAL-WORLD STRENGTH

Smooth edges and a comfort grip handle promote safe handling, preventing damage to buckets and protecting hands during use.

Designed as a time-saving tool, the **Bucket Puller** reduces effort and increases efficiency when moving heavy or awkward containers. Finished in high-visibility safety yellow, it's easy to spot in busy workspaces: improving safety, workflow, and overall productivity.

- ▶ **MATERIAL:** 17GA Galvanized Steel Tubing
- ▶ **FINISH:** Powder-Coated Safety Yellow
- ▶ **WEIGHT:** 4 lbs
- ▶ **REACH LENGTH:** 69.5"
- ▶ **PULL CAPACITY:** 50+ pounds
- ▶ **SKU:** BKTPLR



**69.5"
Reach**



**Ergonomic
Handle**

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX




Bucket Pusher



Heavy-Duty Push Tool for Buckets, Containers & Stacked Inventory


The **Bucket Pusher** is engineered to safely push, shift, and separate stacked 5-gallon buckets without bending, prying, or risking injury. Built from reinforced steel and fiberglass, it provides controlled forward leverage for paint stores, contractors, janitorial crews, and warehouse teams. The ergonomic pole design keeps hands away from pinch points, while the powder-coated finish ensures long-term durability in demanding environments.



67.75"
Reach



**Reinforced
Crescent Head**



**Durable
Steel Pole**



**Ergonomic
Handle**



**Visible
Material Finish**




ACTIVATION CURVE

Side prongs are designed to be misaligned with the bucket's curve when flat on the floor.

Upon lifting, they align and lock into the bucket's shape, activating a mechanism for secure, controlled movement.



This **prototype head** is sold separately as we test market demand. It offers the same ergonomic crescent design in a lightweight 3-D printed form: ideal for early adopters + field testing.



Follow Us on Social Media! Scan QR for More Information.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Reacher Liberator



Modular Jam-Breaker Pole for Conveyor Efficiency

The **Reacher Liberator** is a segmented jam-breaker pole engineered for fast, safe conveyor recovery. Its threaded stainless-steel segments let crews customize reach to 5 ft or 10 ft, while keeping shipping compact and cost-efficient. Each section locks securely for rigid control and ergonomic handling.



HD REACH POLE END:

Proven to move heavy items with precision & durability.



QUICK ASSEMBLY:

Screw segments together for instant deployment: **NO** tools are required.



Clears conveyor jams safely with extended reach to keep product moving.



Available in 5 ft and 10 ft lengths for varied warehouse applications.

Trusted by Shops, Warehouses & Fabricators Nationwide.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX



Saw Trax REACHERS®



Reach Further. Work Smarter.

Saw Trax REACHERS offer practical reach and pulling power for tight spaces or hard-to-position gear. Ideal for manufacturing, maintenance, and garages, they let users safely retrieve and move items. Various models fit different reach needs. Pick the right tool for extended reach.



TELESCOPING/ADJUSTABLE REACH TOOLS

POCKET REACHER



16"- 36"
100lb Capacity
Tabbed Extension
Foam Handle

JUST-RITE REACHER



29"- 50"
110lb Capacity
Standard Plastic
Twist-Extend Pole

3TRIEVER REACHER




31"- 64"
120lb Capacity
Heavy-Duty Plastic
Foam Handle

HD TRUCK REACHER



51"- 95"
160lb Capacity
Fiberglass +
Stainless Steel


REACHER LIBERATOR



5' or 10'
100lb Capacity
Segmented
Reacher Pole

RETAIL/WAREHOUSE REACH TOOLS

SKINNY REACHERS




29" or 41" Sword
27" or 38" Shield
20lb Capacity
Food-Grade Steel

BUCKET PULLER




69 1/2"
150lb Capacity
Powder-Coated
Stainless Steel

BUCKET PUSHER



67 3/4"
120lb Capacity
3-D Mold Head
Steel Pole

HC REACHER



60"
160lb Capacity
Stainless Steel
Curved Anvil

HD REACHER



54'
160lb Capacity
Stainless Steel or
Wooden Pole

Multiple Reacher Head & Poles Available! Scan for More Info.

www.sawtrax.com | 770-974-0021 | 888-SAWTRAX





MANUFACTURING INC.



SAW TRAX MANUFACTURING INC.

(770) 974-0021

1-888-729-8729

info@sawtrax.com

www.sawtrax.com

ANYTHING OTHER THAN A **SAW TRAX... JUST DOESN'T CUT IT!**